

SAN JUANTM

FIBERGLASS POOLS



MADE IN THE USA

SINCE 1958

SanJuanPools.com 800-535-SWIM

GLOBAL MARKET LEADER




About Our Company

SINCE 1958

San Juan Fiberglass Pools has grown from a small Washington based company to a well governed nationwide organization with numerous manufacturing plants throughout the United States. Along with each plant's network of locally owned independent authorized San Juan Dealers, they design and craft the most elegant fiberglass pools in America

One of the key advantages of San Juan Fiberglass Pools is the durability and longevity of their pools. Fiberglass pools are known for their strength and resistance to cracks, leaks, and other common issues associated with traditional concrete or vinyl liner pools. San Juan Fiberglass Pools are built using a combination of hand laid fiberglass and 100% vinyl ester resin, providing a strong and stable structure that can withstand various weather conditions.

San Juan Fiberglass Pools is a reputable company known for their highest quality, durable, smooth finish, and aesthetically pleasing fiberglass pools. Whether you're looking to install a pool in your backyard or at a commercial property, San Juan Fiberglass Pools offers a range of options to suit different needs and preferences.



George Sullivan
Founder



**From our factory to
your back yard**



LOOK

**For QR codes throughout the
magazine for additional
Information/videos/photos**



Building The Strongest Pools in the World

32-MIL GELCOAT


The thickest in the Industry
- Two 16-mil layers

1.5 oz STRAND MAT

- Three layers

24 oz WOVEN ROVING

- Two layers



How Is It Made?

Layer 1:

1.5oz Hand Laid Fiberglass Strand Mat
100% Vinyl Ester Resin

Layer 2:

1.5oz Hand Laid Fiberglass Strand Mat
100% Vinyl Ester Resin

Layer 3:


24oz Hand Laid Woven Roving
100% Vinyl Ester Resin

Layer 4:

1.5oz Hand Laid Fiberglass Strand Mat
100% Vinyl Ester Resin

Layer 5:

24oz Hand Laid Woven Roving
100% Vinyl Ester Resin



TIME LAPSE

Manufacturing a SJP Pool



TIME LAPSE

Installing a SJP Pool

San Juan's Superior Quality

The fiberglass, which is a strong and lightweight material, provides the structural integrity and stability of the pool. It is made up of thin fibers of glass that are woven together to form a fabric-like material.

The resin acts as a protective barrier and helps to bind the fiberglass fibers together, creating a solid and watertight structure. Vinyl Ester resin is a type of resin that is known for its excellent adhesion properties and resistance to chemicals, UV rays, and water.

The Gelcoat Difference




The gelcoat also acts as a barrier against water absorption, making the pool more resistant to potential issues like cracking, blistering, and delamination. It resists dirt and debris buildup, making regular cleaning and maintenance tasks more efficient.

The gelcoat's non-porous nature also helps inhibit the growth of algae and other microorganisms, reducing the need for extensive cleaning and chemical treatments.

Handcrafted Fiberglass Pools of Distinction Since 1958

The gelcoat finish provides a smooth and glossy surface to the pool, enhancing its visual appeal. The gelcoat is resistant to staining, which helps keep the pool surface looking clean and vibrant. It prevents common issues like mineral deposits, algae stains, and chemical discoloration from penetrating the pool surface.

Additionally, the gelcoat finish is also UV resistant, minimizing the effects of sun exposure and preventing color fading over time.



Fiberglass VS. Concrete

Concrete pools are made by pouring a mixture of cement, sand, and water into a formwork, which is then reinforced with steel bars. While concrete is a strong material, it is rigid and less flexible compared to fiberglass. This rigidity makes concrete pools more susceptible to



cracking and damage when exposed to ground movements. Ground movements, such as soil expansion or contraction, settlement, or seismic activity, can exert pressure on the rigid structure of a concrete pool, leading to cracks, leaks, and costly repairs.

On the other hand, fiberglass pools are constructed using a pre-formed shell made of fiberglass-reinforced plastic. Fiberglass is a flexible material that can bend and flex under ground movements, allowing it to absorb the forces without cracking or breaking. This inherent flexibility of fiberglass pools makes them more resistant to damage caused by ground movements.



Compare Fiberglass Swimming Pool Competitors



Fiberglass VS. Vinyl liners

Durability and Longevity

The fiberglass material used in the construction of these pools is highly resistant to wear, tear, and UV radiation. Unlike vinyl liners, which can deteriorate over time and require regular replacement, fiberglass pools can last for many years with minimal maintenance

Easy Maintenance

Fiberglass pools have a smooth and non-porous surface, which makes them easy to clean and maintain. The surface is resistant to algae and other stains, reducing the need for frequent scrubbing and chemical treatments. In contrast, vinyl liner pools can be more prone to algae growth and require regular cleaning and maintenance to keep the liner in good condition.

Comfort and Safety

The smooth surface of fiberglass pools is gentle on the skin and less likely to cause abrasions or discomfort. Unlike vinyl liners, which can have seams and wrinkles, fiberglass pools provide a seamless and comfortable swimming experience. Additionally, the non-porous surface of fiberglass pools helps prevent the growth of bacteria and algae, contributing to a safer and cleaner swimming environment.

Hand Laid vs Chopped Fiberglass

Fiber Orientation


In hand-laid fiberglass pools, the fiberglass strands are manually laid in a specific pattern, typically in multiple layers, to create a reinforced structure. This manual process allows for more control over the fiber orientation, ensuring that the fibers are laid in a way that maximizes strength and structural integrity. On the other hand, chopped fiberglass pools use fiberglass strands that are randomly sprayed onto a mold, resulting in a less consistent fiber orientation and potentially weaker overall structure.



Resin-to-Fiber Ratio

Hand-laid fiberglass pools often have a higher resin-to-fiber ratio compared to chopped fiberglass pools. The resin acts as a bonding agent, holding the fiberglass strands together and providing strength to the structure. With a higher resin-to-fiber ratio, hand-laid fiberglass pools can have a stronger and more solid construction.

Cheap sprayed-on fiberglass pools are built with ledges around them. They are marketed as “safety ledges”. These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the swimming area.



Features	San Juan Fiberglass Pools Benefits	Chopped / Composite Fiberglass Pools Difference
Gel Coat	32-Mil total	15-Mil typical
Vinyl Ester Resin	Used throughout entire pool	Typically used on first layer only
Hand Laid	Consistent level of thickness Overlapping seams creates a super structure 15 layers thick	No consistency in thickness Sprayed on
Woven Roving	Provides significant strength to entire pool	<u>Not used</u> on chopped pools
Sprayed Chop	Not used on San Juan Pools	Lowest cost construction method
Resin	Higher glass to resin ratio	Lower glass to resin ratio
Coring & Fillers	Not used on San Juan Pools	Makes walls brittle Inhibit flexural strength
Interior ledges	Not needed on hand laid pools	Used to stiffen pool walls, makes area smaller

Why Choose San Juan?



LONGEVITY

San Juan Fiberglass Pools are built to last. With proper care and maintenance, they can provide many years of enjoyment for you and your family. With the thickest gel coat in the industry and the hand-laid fiberglass, our pools are built to last a lifetime.



LOW MAINTENANCE

Fiberglass pools are known for their low maintenance requirements. The smooth and non-porous surface of San Juan Fiberglass Pools makes it easier to clean and maintain compared to other pool types. This saves time and effort for pool owners.



QUICK INSTALLATION

Fiberglass pools are typically quicker to install compared to concrete or vinyl liner pools. San Juan Fiberglass Pools has a streamlined installation process, which means you can enjoy your new pool sooner.



San Juan Durability

San Juan Fiberglass Pools are known for their strength and resistance to cracks, leaks, and other common issues associated with traditional concrete or vinyl liner pools. The combination of fiberglass and resin used in their construction provides a strong and stable structure that can withstand various weather conditions.



COLD RESISTANT

Even amidst the most frigid conditions, with the aid of Liquid Nitrogen (-321 degrees Fahrenheit), a San Juan Fiberglass pool remains resilient. While vinyl liners and concrete may succumb to cracks and breaks, San Juan defies such failures. These visuals solidify San Juan Pools' durability even in the harshest cold climates.



ACID RESISTANT

Muriatic Acid poses no threat to a San Juan Fiberglass Pool! Given its significance in water chemistry, improper maintenance can wreak havoc on pool finishes. This demonstration vividly illustrates the detrimental impact of swimming pool acid on concrete pools. When poured directly onto a concrete pool, Muriatic Acid initiates immediate destruction, yet it remains non-corrosive against San Juan pools.



BULLET RESISTANT

Yes, you heard it right, bullet-proof! Not even a 9mm, 380, 45, or 44 magnum could breach the San Juan pool. This serves as a testament to the unparalleled strength of our hand-laid fiberglass pools. In contrast, chopped fiberglass pools offer no resistance, as evidenced in the image on the left.



HEAT RESISTANT

Even with the formidable power of a high-temperature acetylene torch (5,700 degrees Fahrenheit), known for its ability to slice through steel, a San Juan pool remains unscathed, as evidenced by these images. This irrefutably demonstrates the resilience of San Juan pools even in the face of extreme heat.





Family Memories

Creating lifetime memories with your family and friends is always easy in your backyard while swimming in a San Juan Fiberglass Pool.



A SAN JUAN FIBERGLASS POOL BRINGS SIGNIFICANT ADVANTAGES...

Our fiberglass pools are pre-formed and ready to install. We have over 85 designs from small patio pools to some almost 50' long. Whereas a concrete pool takes a very long time to build - often as long as 6 months or longer. A San Juan fiberglass pool can be installed and ready to swim in as little as two week's time. In fact, the only way to tell the difference between a concrete pool and a San Juan Fiberglass pool once they are installed, is that the San Juan fiberglass pool will look just as beautiful as the day it was installed - and that's a big difference.

When people ask us about installing a San Juan fiberglass pool, we will sometimes compare the process to buying a new car - something we have all done with ease. Most new cars today are offered with a base price and then options and additions are added to get the final configuration for the model you want. A new San Juan fiberglass pool is offered in exactly the same manner. There will be a base price and at that point if you decide not to add anything you will have the full use of your new San Juan fiberglass pool for decades. It will be "swim ready." Many of us, however, will want to consider optional items such as heaters, additional decking, decorative lighting, water features, and all the wonderful things that add to your project's final configuration.

As you move closer to finally deciding which San Juan fiberglass pool will meet your needs, there are some considerations that should enter into the decision making process.



WHY DO YOU WANT A POOL?

This would seem to be self explanatory, but your decision to purchase a new San Juan Fiberglass pool might be based on the needs of your family. It might be for your healthy lifestyle, or it might be for entertaining. Each reason will dictate a different style swimming pool, and you should spend time with your sales professional discussing your needs and expectations to be certain your pool is designed to meet all your expectations.

WHAT WILL YOU USE THE POOL FOR?

If you want a pool for family sports, that will be a completely different pool from one used to swim laps. San Juan Fiberglass Pools have a pool design to fulfill every possible requirement. Take a moment and examine all the possibilities. Often your new pool will need to fulfill multiple roles, from health considerations to family entertainment, and our pool/spa combinations, or sport pools might be exactly what meets your needs. With San Juan Fiberglass Pools the possibilities are endless.

WHO WILL DO THE MAINTENANCE?

Swimming pool maintenance used to be a big deal, but with new technologies available today, pool maintenance for your new San Juan fiberglass pool is a snap. Fiberglass pools by their nature have significantly reduced maintenance needs. It is possible to build a new San Juan fiberglass pool that is low maintenance. By adding automatic covers, chlorinators and automatic chemical feeders, along with the new robotic pool cleaners, it is possible to leave the pool maintenance to the machines.

San Juan Fiberglass Pools' Color Selection



White



Sully Blue



Granite




Blue Lagoon

Luxor Deep




Width: I.D. 15' 1" / O.D. 16'
Length: I.D. 44' 3" / O.D. 45' 3"
Depth: 3' 8" - 7' 10"
Area 667.4 ft²
Volume: 22,676 G

Luxor




Width: I.D. 15' 1" / O.D. 16'
Length: I.D. 44' 3" / O.D. 44' 7"
Depth: 3' 8" - 6' 4"
Area 667.4 ft²
Volume: 21,210 G

Oceanside Beach



Width: I.D. 15' 2" / O.D. 16'
Length: I.D. 44' 8" / O.D. 45' 8"
Depth: 3' 7" - 6' 5"
Area 670 ft²
Volume: 21,250 G

Great Lakes Beach



Width: I.D. 15' 1" / O.D. 15' 11"
Length: I.D. 40' 3" / O.D. 41' 3"
Depth: 3' 11" - 6' 4"
Area 607.6 ft²
Volume: 18,761 G

Oceanside



Width: I.D. 15' 2" / O.D. 16'
Length: I.D. 40' 2" / O.D. 41' 2"
Depth: 3' 7" - 6' 5"
Area 609.3 ft²
Volume: 20,400 G

Pacific



Width: I.D. 15' 1" / O.D. 16'
Length: I.D. 38' 10" / O.D. 39' 10"
Depth: 3' 3" - 7' 11"
Area 569.2 ft²
Volume: 21,609 G

Dallas




Width: I.D. 15' 1" / O.D. 16'
Length: I.D. 41' 4" / O.D. 42' 4"
Depth: 3' 3" - 7' 11"
Area 595 ft²
Volume: 21,000 G

Great Lakes



Width: I.D. 15' 1" / O.D. 15' 11"
Length: I.D. 36' / O.D. 36' 11"
Depth: 3' 6" - 6' 4"
Area 543 ft²
Volume: 18,653 G

Olympus




Width: I.D. 15' 2" / O.D. 16'
Length: I.D. 38' 11" / O.D. 39' 11"
Depth: 3' 6" - 5' 4"
Area 540 ft²
Volume: 13,334 G

Phoenix



Width: I.D. 15' / O.D. 16'
Length: I.D. 38' 10" / O.D. 39' 10"
Depth: 3' 4" - 5'
Area 539 ft²
Volume: 14,452 G

Caesar's Palace Beach




Width: I.D. 14' 9" / O.D. 15' 8"
Length: I.D. 35' 2" / O.D. 36'
Depth: 3' 7" - 5' 7"
Area 520.5 ft²
Volume: 12,057 G

Wylela Beach Ultra




Width: I.D. 15' / O.D. 16'
Length: I.D. 36' 1" / O.D. 37'
Depth: 3' 6" - 6' 1"
Area 540 ft²
Volume: 14,375 G

Wylela Cove Ultra




Width: I.D. 15' / O.D. 16'
Length: I.D. 36' 1" / O.D. 37'
Depth: 3' 6" - 6' 1"
Area 540 ft²
Volume: 15,321 G

Lake Superior




Width: I.D. 15' 1" / O.D. 15' 10"
Length: I.D. 29' 11" / O.D. 30' 9"
Depth: 3' 11" - 6' 3"
Area 441 ft²
Volume: 14,601 G

Niagara



Width: I.D. 14' 11" / O.D. 15' 11"
Length: I.D. 32' 10" / O.D. 33' 10"
Depth: 3' 8" - 7' 10"
Area 489.76 ft²
Volume: 17,600 G


Caesar's Palace



Width: I.D. 14' 9" / O.D. 15' 8"
Length: I.D. 32' 5" / O.D. 33' 4"
Depth: 3' 3" - 5' 7"
Area 421.51 ft²
Volume: 11,727 G


Coming Soon

Grand Manhattan




Width: I.D. 15' / O.D. 16'
 Length: I.D. 34' / I.D. 35'
 Depth: 5' 6"
 Area 526.25 ft²
 Volume: 14,532 G

Monte Carlo




Width: I.D. 15' 1" / O.D. 15' 11"
 Length: I.D. 30' 11" / I.D. 31' 10"
 Depth: 3' 7" - 5' 8"
 Area 466.19 ft²
 Volume: 13,101 G

Wylela Beach Grande




Width: I.D. 15' / O.D. 16'
 Length: I.D. 29' 1" / O.D. 30'
 Depth: 3' 6" - 6' 1"
 Area 435 ft²
 Volume: 10,789 G

Majestic



Width: I.D. 15' 2" / O.D. 16'
 Length: I.D. 33' 1" / O.D. 34' 1"
 Depth: 3' 6" - 5' 5"
 Area 446.46 ft²
 Volume: 12,531 G

Wylela Cove Grande




Width: I.D. 15' / O.D. 16'
 Length: I.D. 29' / O.D. 30'
 Depth: 3' 6" - 6' 1"
 Area 435 ft²
 Volume: 11,134 G

Dolphin




Width: I.D. 13' 1" / O.D. 14' 1"
 Length: I.D. 32' 1" / O.D. 33' 1"
 Depth: 4' - 5'
 Area 402 ft²
 Volume: 11,000 G

Savannah



Width: I.D. 13' 3" / O.D. 14' 3"
 Length: I.D. 31' 7" / O.D. 32' 7"
 Depth: 3' 3" - 5' 4"
 Area 375 ft²
 Volume: 10,500 G

Lake Michigan




Width: I.D. 15' / O.D. 15' 11"
 Length: I.D. 24' 11" / O.D. 25' 11"
 Depth: 3' 11" - 5' 11"
 Area 373.75 ft²
 Volume: 10,714 G

Vegas




Width: I.D. 14' 11" / O.D. 15' 9"
 Length: I.D. 26' 11" / O.D. 27' 11"
 Depth: 3' 2" - 5'
 Area 359 ft²
 Volume: 9,420 G

iPool




Width: I.D. 15' / O.D. 16'
 Length: I.D. 35' 1" / O.D. 36'
 Depth: 4' 7"
 Area 348 ft²
 Volume: 7,217 G

Stockholm




Width: I.D. 13' / O.D. 14'
 Length: I.D. 26' 1" / O.D. 27' 1"
 Depth: 3' 9" - 5' 9"
 Area 339.08 ft²
 Volume: 9,600 G

Hawaiian




Width: I.D. 11' 9" / O.D. 12' 9"
 Length: I.D. 27' 11" / O.D. 29'
 Depth: 3' 4" - 5' 10"
 Area 303.09 ft²
 Volume: 8,375 G

Wylela Beach




Width: I.D. 11' / O.D. 12'
 Length: I.D. 29' 1" / O.D. 30'
 Depth: 3' 6" - 6' 1"
 Area 319 ft²
 Volume: 7,587 G

Wylela Cove




Width: I.D. 11' / O.D. 12'
 Length: I.D. 29' 1" / O.D. 30'
 Depth: 3' 6" - 6'
 Area 319 ft²
 Volume: 7,832 G

Biloxi Beach



Width: I.D. 11' / O.D. 12'
 Length: I.D. 26' / O.D. 27'
 Depth: 4' 3"
 Area 286 ft²
 Volume: 6,800 G

Marathon w/spa




Width: I.D. 7' 6" / O.D. 8' 6"
 Length: I.D. 39' / O.D. 40' 1"
 Depth: 4' 9"
 Area 292.5 ft²
 Volume: 8,277 G

Marathon




Width: I.D. 7' 6" / O.D. 8' 6"
 Length: I.D. 33' / O.D. 34' 2"
 Depth: 4' 9"
 Area 248 ft²
 Volume: 7,507 G

Orlando




Width: I.D. 11' / O.D. 12'
 Length: I.D. 27' / O.D. 28'
 Depth: 3' 10"
 Area 297 ft²
 Volume: 7,000 G

Waikiki II



Width: I.D. 10' 10" / O.D. 11' 10"
 Length: I.D. 27' / O.D. 28'
 Depth: 3' 7" - 5' 5"
 Area 275 ft²
 Volume: 8,010 G















Waikiki I



Width: I.D. 11' 2" / O.D. 12' 2"
 Length: I.D. 25' 11" / O.D. 26' 11"
 Depth: 3' 8" - 5' 5"
 Area 268 ft²
 Volume: 8,059 G

* Additional cross-country freight

San Juan Fiberglass Pool & Spa Models

iPool 2  Width: I.D. 12'1" / O.D. 13'1" Length: I.D. 24'9" / O.D. 25'9" Depth: 3'10" - 4'8" Area 264 ft ² Volume: 6,700 G	Wylela  Width: I.D. 11' / O.D. 12' Length: I.D. 24'1" / O.D. 25' Depth: 3'6" - 6'1" Area 256.2 ft ² Volume: 7,201 G	Scottsdale  Width: I.D. 10'8" / O.D. 11'8" Length: I.D. 18'6" / O.D. 19'6" Depth: 4' Area 187.7 ft ² Volume: 7,070 G * West Coast Factory Only	Canyon Beach  Width: I.D. 8'4" / O.D. 9'6" Length: I.D. 28'5" / O.D. 30' Depth: 5' Area 236.8 ft ² Volume: 6,586 G * West Coast Factory Only
Broadway  Width: I.D. 10'9" / O.D. 11'8" Length: I.D. 20'8" / O.D. 21'8" Depth: 4' Area 222.16 ft ² Volume: 4,887 G	Horizon  Width: I.D. 14'8" / O.D. 15'8" Length: I.D. 23'2" / O.D. 24'2" Depth: 4'9" Area 220 ft ² Volume: 6,000 G	Gulf Breeze  Width: I.D. 11' / O.D. 12' Length: I.D. 19' / O.D. 20' Depth: 3'10" Area 209 ft ² Volume: 4,400 G	Malibu  Width: I.D. 11'1" / O.D. 12'1" Length: I.D. 21'4" / O.D. 22'4" Depth: 3'9" Area 185 ft ² Volume: 4,061 G
Sea Isle  Width: I.D. 11' / O.D. 11'11" Length: I.D. 15'7" / O.D. 16'6" Depth: 5' Area 171.41 ft ² Volume: 5,074 G	Canyon Beach  Width: I.D. 8'4" / O.D. 9'6" Length: I.D. 20' / O.D. 22' Depth: 4' Area 169.4 ft ² Volume: 2,700 G * West Coast Factory Only	Cyberlane w/spa  Width: I.D. 7'5" / O.D. 8'5" Length: I.D. 22' / O.D. 23' Depth: 4'9" Area 163.16 ft ² Volume: 4,350 G	Cyberlane Beach  Width: I.D. 7'5" / O.D. 8'5" Length: I.D. 22' / O.D. 23' Depth: 4'9" Area 163.16 ft ² Volume: 3,788 G
Cyberlane  Width: I.D. 7'5" / O.D. 8'5" Length: I.D. 16' / O.D. 16'8" Depth: 4'9" Area 120 ft ² Volume: 3,491 G	Canyon Lake  Width: I.D. 8'4" / O.D. 10'2" Length: I.D. 15'8" / O.D. 18'11" Depth: 4' Area 130.55 ft ² Volume: 3,308 G * West Coast Factory Only	Sedona Beach  Width: I.D. 6'4" / O.D. 7'10" Length: I.D. 18'5" / O.D. 20' Depth: 5' Area 133 ft ² Volume: 2,607 G * West Coast Factory Only	Sedona  Width: I.D. 6'4" / O.D. 8'4" Length: I.D. 12'4" / O.D. 14'6" Depth: 3'5" Area 78.11 ft ² Volume: 1,813 G


Check Out Our 3D Interactive



Scan Me


Check Out Our Pool Detail Drawings

<https://sanjuanpools.com/detail-sheets>




Scan Me

Daytona Beach




Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 43'11" / O.D. 44'11"
 Depth: 3'11" - 7'11"
 Area 558.53 ft²
 Volume: 19,440 G

South Beach




Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 43'11" / O.D. 44'11"
 Depth: 3'11" - 6'4"
 Area 563 ft²
 Volume: 17,741 G

Oasis




Width: I.D. 15' / O.D. 16'
 Length: I.D. 38'8" / O.D. 39'8"
 Depth: 3'3" - 7'11"
 Area 506 ft²
 Volume: 19,275 G

Mirage




Width: I.D. 14'8" / O.D. 15'7"
 Length: I.D. 38'8" / O.D. 39'5"
 Depth: 3'4" - 5'3"
 Area 468 ft²
 Volume: 13,776 G

Clearwater Beach




Width: I.D. 15'1" / O.D. 15'11"
 Length: I.D. 35'10" / O.D. 36'9"
 Depth: 3'11" - 6'3"
 Area 456 ft²
 Volume: 13,387 G

Star Dust




Width: I.D. 15' / O.D. 16'
 Length: I.D. 36'4" / O.D. 37'4"
 Depth: 3'6" - 6'4"
 Area 455.96 ft²
 Volume: 14,357 G

Pleasure Island




Width: I.D. 15' / O.D. 16'
 Length: I.D. 37'11" / O.D. 38'6"
 Depth: 3'11" - 5'11"
 Area 453.04 ft²
 Volume: 12,828 G

Atlantic Deep




Width: I.D. 14'9" / O.D. 15'9"
 Length: I.D. 31'10" / O.D. 33'
 Depth: 3'6" - 7'9"
 Area 383 ft²
 Volume: 13,772 G

Atlantic



Width: I.D. 14'9" / O.D. 15'9"
 Length: I.D. 31'10" / O.D. 33'
 Depth: 3'9" - 5'7"
 Area 383 ft²
 Volume: 10,883 G


Manatee Deep



Width: I.D. 12'9" / O.D. 13'9"
 Length: I.D. 31'10" / O.D. 32'10"
 Depth: 3'6" - 8'
 Area 369 ft²
 Volume: 14,520 G


* West Coast Factory Only

Manatee




Width: I.D. 12'9" / O.D. 13'9"
 Length: I.D. 31'10" / O.D. 32'10"
 Depth: 3'6" - 5'10"
 Area 369 ft²
 Volume: 11,222 G

Costa Azul




Width: I.D. 14' / O.D. 14'11"
 Length: I.D. 31'8" / O.D. 32'7"
 Depth: 3'8" - 5'5"
 Area 350.15 ft²
 Volume: 9,249 G

Rio




Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 27'4" / O.D. 28'4"
 Depth: 3'6" - 5'7"
 Area 326 ft²
 Volume: 9,500 G

Huntington Beach




Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 27'4" / O.D. 28'4"
 Depth: 4' - 5'7"
 Area 326 ft²
 Volume: 8,154 G

Barcelona




Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 27'4" / O.D. 28'4"
 Depth: 3'6" - 5'7"
 Area 332.11 ft²
 Volume: 7,907 G

Venetian




Width: I.D. 14'3" / O.D. 15'3"
 Length: I.D. 26'10" / O.D. 27'10"
 Depth: 3'8" - 5'4"
 Area 311 ft²
 Volume: 8,787 G

Pompano Beach




Width: I.D. 12'10" / O.D. 13'10"
 Length: I.D. 28'9" / O.D. 29'9"
 Depth: 3'5" - 5'5"
 Area 308 ft²
 Volume: 8,832 G

Desert Falls




Width: I.D. 12'10" / O.D. 14'
 Length: I.D. 29'1" / O.D. 30'1"
 Depth: 3' - 6'
 Area 299.48 ft²
 Volume: 8,397 G

Desert Springs



Width: I.D. 12'10" / O.D. 14'
 Length: I.D. 29'1" / O.D. 30'1"
 Depth: 3' - 6'
 Area 299.48 ft²
 Volume: 7,120 G

Sandcastle




Width: I.D. 13'1" / O.D. 14'1"
 Length: I.D. 28'7" / O.D. 27'7"
 Depth: 3'3" - 5'4"
 Area 273.6 ft²
 Volume: 7,271 G

* West Coast Factory Only


San Juan Fiberglass Pool & Spa Models

Seaside




Width: I.D. 10'10" / O.D. 11'11"
 Length: I.D. 26'10" / O.D. 27'10"
 Depth: 3'6" - 6'
 Area 241 ft²
 Volume: 7,070 G

Catalina




Width: I.D. 11'2" / O.D. 12'2"
 Length: I.D. 24'9" / O.D. 25'9"
 Depth: 3'7" - 5'7"
 Area 218.5 ft²
 Volume: 6,500 G

Lelani




Width: I.D. 11'6" / O.D. 12'6"
 Length: I.D. 24' / O.D. 25'
 Depth: 3'8" - 6'1"
 Area 221.86 ft²
 Volume: 6,571 G

Mandalay Bay




Width: I.D. 10'8" / O.D. 11'8"
 Length: I.D. 24'1" / O.D. 25'1"
 Depth: 3'2" - 5'7"
 Area 203 ft²
 Volume: 5,000 G

Cocoa Beach




Width: I.D. 10'8" / O.D. 11'7"
 Length: I.D. 22'9" / O.D. 23'8"
 Depth: 3'7" - 5'6"
 Area 193 ft²
 Volume: 5,273 G

Sundial




Width: I.D. 10'9" / O.D. 11'9"
 Length: I.D. 22'9" / O.D. 23'9"
 Depth: 3'6" - 5'7"
 Area 193.3 ft²
 Volume: 5,146 G

Ariella



Width: I.D. 11'7" / O.D. 12'7"
 Length: I.D. 20'1" / O.D. 21'1"
 Depth: 3'4" - 4'10"
 Area 189 ft²
 Volume: 4,794 G

Palm Beach



Width: I.D. 9'5" / O.D. 10'5"
 Length: I.D. 20'10" / O.D. 21'10"
 Depth: 3" - 4'11"
 Area 157 ft²
 Volume: 4,000 G

Crystal Beach



Width: I.D. 12'8" / O.D. 13'8"
 Length: I.D. 16'4" / O.D. 17'4"
 Depth: 3'7" - 5'2"
 Area 152 ft²
 Volume: 3,426 G

Crystal Cove




Width: I.D. 10'11" / O.D. 11'11"
 Length: I.D. 17'11" / O.D. 18'11"
 Depth: 3'7" - 5'
 Area 144 ft²
 Volume: 3,500 G

Crystal Springs



Width: I.D. 10'11" / O.D. 11'11"
 Length: I.D. 16'2" / O.D. 17'2"
 Depth: 4'2" - 5'
 Area 118 ft²
 Volume: 2,600 G

Paradise



Width: I.D. 10'11" / O.D. 11'11"
 Length: I.D. 15'9" / O.D. 16'9"
 Depth: 4'6"
 Area 108 ft²
 Volume: 2,950 G

Ft Myers



Width: I.D. 7'2" / O.D. 8'2"
 Length: I.D. 15'2" / O.D. 16'2"
 Depth: 3'11"
 Area 95.25 ft²
 Volume: 2,150 G



Kiddie Pool-Freeform



Width: I.D. 11' / O.D. 12'
 Length: I.D. 16'1" / O.D. 17'1"
 Depth: 1'6"
 Area 118 ft²
 Volume: 1,309 G

Kiddie Pool-Rectangle



Width: I.D. 7' / O.D. 8'
 Length: I.D. 14' / O.D. 15'
 Depth: 1'6"
 Area 98 ft²
 Volume: 1,100 G

Scottsdale Tanning Ledge



Width: I.D. 7'3" / O.D. 8'3"
 Length: I.D. 11' / O.D. 12'
 Depth: 12"
 Area 62.5 ft²
 Volume: 100 G

Tanning Ledge - Round



Width: I.D. 6'7" / O.D. 7'7"
 Length: I.D. 10'6" / O.D. 11'6"
 Depth: 12"
 Area 50.9 ft²
 Volume: 333.6 G

San Juan Fiberglass Pool & Spa Models

Margarita Beach



Width: I.D. 9'1" / O.D. 10'
Length: I.D. 12'3" / O.D. 13'1"
Depth: 3'11"
Area 111.27 ft²
Volume: 1,551 G

Vancouver



Width: I.D. 10'1" / O.D. 11'4"
Length: I.D. 17'1" / O.D. 18'3"
Depth: 3'8"
Area 119 ft²
Volume: 2,332 G

Montreal



Width: I.D. 10'10" / O.D. 11'10"
Length: I.D. 14'6" / O.D. 15'6"
Depth: 3'9"
Area 102.9 ft²
Volume: 2,026 G

Sydney



Width: I.D. 9'11" / O.D. 11'2"
Length: I.D. 15'3" / O.D. 16'8"
Depth: 3'4"
Area 147 ft²
Volume: 2,105 G

Peninsula



Width: I.D. 7'6" / O.D. 8'4"
Length: I.D. 9'10" / O.D. 10'10"
Depth: 3'2"
Area 75.2 ft²
Volume: 1,171 G

Charlotte Spa



Width: I.D. 7' / O.D. 8'
Length: I.D. 11' / O.D. 12'
Depth: 3'2"
Area 60.31 ft²
Volume: 862 G

Margarita Spa



Width: I.D. 8'11" / O.D. 9'11"
Length: I.D. 6'7" / O.D. 9'4"
Depth: 3'11"
Area 60 ft²
Volume: 1,050 G

Sarasota Spa



Width: I.D. 8'1" / O.D. 8'10"
Length: I.D. 8'1" / O.D. 8'10"
Depth: 3'5"
Area 53 ft²
Volume: 861 G

Diamond Spa



Width: I.D. 7' / O.D. 8'
Length: I.D. 7' / O.D. 8'
Depth: 2'11"
Area 44 ft²
Volume: 630 G

Royale Spa



Width: I.D. 6' / O.D. 7'
Length: I.D. 9'3" / O.D. 10'3"
Depth: 2'10" - 3'2"
Area 43.3 ft²
Volume: 714 G

Isle Spa



Width: I.D. 7' / O.D. 8'
Length: I.D. 7' / O.D. 8'
Depth: 3'
Area 40.4 ft²
Volume: 600 G

Lido Spa



Width: I.D. 5'11" / O.D. 6'11"
Length: I.D. 6'1" / O.D. 7'1"
Depth: 3'
Area 36 ft²
Volume: 543 G

Scottsdale Spa



Width: I.D. 5'11" / O.D. 6'11"
Length: I.D. 6'1" / O.D. 7'1"
Depth: 3'
Area 36 ft²
Volume: 543 G

Haven Spa



Width: I.D. 5'10" / O.D. 6'10"
Length: I.D. 5'10" / O.D. 6'10"
Depth: 3'
Area 28.18 ft²
Volume: 427.37 G

Grande Spa



Width: I.D. 7'3" / O.D. 8'
Length: I.D. 7'3" / O.D. 8'
Depth: 3'2"
Area 40.59 ft²
Volume: 405 G

Cove Spa



Width: I.D. 5'1" / O.D. 6'1"
Length: I.D. 5'1" / O.D. 6'1"
Depth: 2'11"
Area 25.84 ft²
Volume: 359 G

Fun Deck



Width: I.D. 13' / O.D. 14'
Length: I.D. 15' / O.D. 16'
Depth: 9" - 3'3"
Area 208.75 ft²
Volume: 2,100 G

Cyberlane Spa



Width: I.D. 5'2" / O.D. 6'2"
Length: I.D. 7'5" / O.D. 8'5"
Depth: 4'9"
Area 39.2 ft²
Volume: 762 G

Baja Beach Spa



Width: I.D. 5'2" / O.D. 6'2"
Length: I.D. 7'5" / O.D. 8'5"
Depth: 4'9"
Area 39.2 ft²
Volume: 762 G



Can I Build?

Will your favorite San Juan Fiberglass Pool fit in your backyard?
Let's find out the easy way with San Juan Pools' "canibuild" software.

Just go to SanJuanPools.com and key in your address,
pick your favorite pool and place in your yard.

It's that simple!!

**LOOK
SCAN ME!**

<https://sanjuanpools.com>







- Pleasure Island -

New Swimming Pool Checklist

Here are some essential considerations for you to discuss as you near agreement on your new San Juan pool.

Why do you want a pool? Sometimes we want a pool just for family fun, but sometimes a pool will be for grandchildren or relaxation or perhaps therapeutic use. Whatever your reasoning, be certain you have your pool built for you and your needs. Many people will have many opinions about your new pool, but the most important consideration should be what will be your needs - what do you want? Once the pool is constructed, you can be certain everyone will agree it is the perfect swimming pool.

Deep end, or shallow end? This question has created endless debates over the kitchen table. As you discuss the final depth of your "deep end" remember these things. Children don't care how deep their pool will be as long as they can play. If you have a serious diver in your home then perhaps a diving pool will be important, but for most people a moderate 5 ½' to 6' depth will be plenty and will let the adults use the entire pool. The older we are, the less we want to tread water so design your pool for how you want to use your pool. Your children will love whatever pool you choose the first time they jump in.

ROOFTOP POOLS



- Biloxi & Grande Spa -

FLOATING POOLS




- Oceanside -

FROZEN POOLS



- Monte Carlo -


ANIMAL FRIENDLY



- Lelani -


The Wylela Series

Wylela Beach Ultra



Width: I.D. 15' / O.D. 16'
Length: I.D. 36' / O.D. 37'
Depth: 3'6" - 6'1"
Volume: 14, 375G

Wylela Cove Ultra



Width: I.D. 15' / O.D. 16'
Length: I.D. 36' / O.D. 37'
Depth: 3'6" - 6'1"
Volume: 14, 697G

Wylela Beach Grande




Width: I.D. 15' / O.D. 16'
Length: I.D. 29' / O.D. 30'
Depth: 3'6" - 6'1"
Volume: 10, 789G

Wylela Cove Grande



Width: I.D. 15' / O.D. 16'
Length: I.D. 29' / O.D. 30'
Depth: 3'6" - 6'1"
Volume: 11, 200G

Wylela Beach



Width: I.D. 11' / O.D. 12'
Length: I.D. 29' / O.D. 30'
Depth: 3'6" - 6'1"
Volume: 7,271 G

Wylela Cove




Width: I.D. 11' / O.D. 12'
Length: I.D. 29' / O.D. 30'
Depth: 3'6" - 6'1"
Volume: 7,571 G

Wylela



Width: I.D. 11' / O.D. 12'
Length: I.D. 24' / O.D. 25'
Depth: 3'6" - 6'1"
Volume: 8,500 G





- Wylela Beach Ultra -
- Lido Spa -





- Caesars Palace -



- Caesars Palace Beach -

SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products and other similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any partner, partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services on the part of remain such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or agents of any Dealer, with e services, repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or of any partner or affiliate of San Juan P

All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving specifications. Diving

San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to San Ju

Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process contain product. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!



All dealers/contractors are independent and not agents for manufacturers.

Each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or any other relationship, or affiliate of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, or of any other person, firm, or entity, including, without limitation, any installation services or any repair services, and all such persons performing any such services on the part of any Dealer are and shall be deemed to be independent contractors of the Dealer. Each Dealer having the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any Dealer, whether installation or repair services, shall be deemed to be agents of San Juan Products.



Installation requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications.

San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).

Colors are natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual colors of the


Beach Series (Freeform)

Daytona Beach




Width: I.D. 15' / O.D. 16'
 Length: I.D. 44' / O.D. 45'
 Depth: 3'6" - 8'
 Volume: 17,944 G

South Beach



Width: I.D. 15' / O.D. 16'
 Length: I.D. 44' / O.D. 45'
 Depth: 3'6" - 6'4"
 Volume: 15,966 G

Clearwater Beach



Width: I.D. 15' / O.D. 16'
 Length: I.D. 36'4" / O.D. 37'4"
 Depth: 3'6" - 6'4"
 Volume: 11,300 G

Huntington Beach



Width: I.D. 14'10" / O.D. 15'10"
 Length: I.D. 27' / O.D. 28'4"
 Depth: 3'6" - 5'7"
 Volume: 7,393 G





- Daytona Beach -





Pool / Spa Combo





Vanishing Edge Pool



**Water is not just for the body;
it's the elixir for the soul, bringing
clarity and calmness to the mind.
Find your clarity In a San Juan Pool.**



800-535-SWIM
SanJuanPools.com